

CONSULTATION OF NEW RULES OF THE OPERATION OF HERMANOWICE AND DROZDOWICZE IPS

Stanisław Brzęczkowski, Gas Market Development Division,
GAZ-SYSTEM S.A.
GAZ-SYSTEM FORUM
29 May 2019



HISTORY

- Drozdowicze
 - The connection has been in operation since ...
 - 29.08.2006 agreement between GAZ-SYSTEM and Ukrtransgaz

- Hermanowice
 - 28.08.2012 Annex introducing IP Hermanowice
 - 1.11.2012 Start of gas transmission towards Ukraine



CURRENT STATUS

▶ Drozdowicze

- Flow only from Ukraine to Poland
- Historical contract is realised



▶ Hermanowice










- Flow from Poland to Ukraine
- Capacity booking
 - on the Polish side on the GSA Platform
- ▶ Allocations
 - equals to the nominations for individual days
 - monthly quantity adjustment based on measurements
- ▶ OBA just for monthly period

RATIONALE FOR CHANGES

- ▶ Participants' expectations
- ▶ Market development on both sides
- ▶ Changes in the rules on the UA side as of January 2020
 - Implementation of network codes under the Energy Community Treaty
 - Termination of historical transit contracts on the Ukrainian side












PROPOSED AMENDMENTS - HERMANOWICE

- ▶ Resignation from the adjustment of monthly quantities resulting from measurements
- ▶ Launch of reverse flow services
 - Interruptible capacity
 - Allocated quantity equals nomination

	From	Operator	Exit	Entry	Operator	To
	 Poland E-gas 		Hermanowice CAM CMP 	Hermanowice CAM  CMP 		 Transmission

PROPOSED CHANGES - DROZDOWICZE 1/2


- ▶ Bi-directional point
 - Direction to Poland - physical flow
 - Direction to Ukraine - contractual reverse flow
- ▶ Quantities transmitted equal to nomination
- ▶ Transmission quantities in energy units
- ▶ Gas Day 6/6

	From	Operator	Exit	Entry	Operator	To
	 Transmission 		GMS Drozdovichi CAM  CMP 	Drozdowicze CAM  CMP 		 Poland E-gas 


PROPOSED CHANGES - DROZDOWICZE 2/2

- ▶ Capacity allocation according to CAM NC
 - ▶ Firm and interruptible services
 - ▶ Products according to CAM NC
 - ▶ Bundled capacity from UA to PL
 - It is required that there be the same entity on both sides
 - Offered to the extent that it has not been reserved
- ▶ Capacity offering:
 - Proposal for the GSA Platform
 - Challenge of adapting the procedure to the Ukrainian regulation

PROPOSED CHANGES - CAPACITIES



NEXT STEPS



THANK YOU!

